Ooma AirDial®

Save money with the all-in-one POTS replacement solution.

Ooma AirDial enables organizations to save money, and keep using critical alarm, safety, building access and fax systems by migrating from copper-based phone lines to an intelligent all-in-one solution that runs on a hassle-free wireless network.

Ooma AirDial allows you to keep using critical systems and is ideal for:

- Security Alarm Panels
- Fire Alarm Panels
- Elevator Phones
- Public Safety Phones
- Building Entry Phones
- Essential Phone Lines
- Fax Machines
- Backup Phone Service

All-inclusive solution
- Solve all POTS challenges with one provider - hardware, data, and phone service with no monthly rate "surprises".

Tremendous value
- Save money on monthly phone bills.

Compliance
- Built with the applicable guidelines of UL, NFPA 72, California Fire Marshal, New York City Fire Department and ASME A17.1B in mind.

Simple migration
- Provides a quick, easy migration and organizations can keep using existing systems.

DIY or turnkey installation
- Deploy yourself; or receive end-to-end project management from assessment to installation and support.

Flexible deployment options
- Configure to provide LTE failover for mission critical VoIP lines.

Advanced voice features
- Enjoy advanced voice features including ringdowns, call forwarding, call blocking, hunt groups, voicemail and more.

Remotely managed
- Get automatic software updates and system monitoring.

Increase visibility
- Manage all locations and devices using intuitive web portal. Get SMS and email alerts when specified numbers are dialed, should outages occur or when the backup battery needs charging.

Failover Protection
- MultiPath technology sends all voice traffic over both the LTE and wired Ethernet links simultaneously to avoid service interruptions; backup battery maintains service for 16 hours which can be extended to more than 24 hours using an optional external battery accessory.

Ooma AirDial Specifications

Processor	Dual-core ARM Cortex A9 CPU
Modem	Quectel EG95-NAXD; Cat-4 LTE
LTE Band Support	B2/B4/B5/B12/B13/B25/B26
LTE Data Rates	Up to 150 Mbps down and 50 Mbps up
Antennas	Two wideband 5G/4G terminal mount antennas, hinged 90° termination with SMA(M) connector
SIMs	Dual micro-SIM; multicarrier e-SIM support
Telephony	Four RJ-11 analog FXS ports; 55Vrms Low Power Ringing
MultiPath	Routes all voice traffic over both the LTE and wired Ethernet links simultaneously to avoid service interruptions
Managed Facilities Voice Network (MFVN)	MFVN compliant network, when needed, ensures traffic never crosses the public internet.
Ethernet	One RJ-45 10/100/1000 Ethernet WAN port; One RJ-45 10/100/1000 Ethernet LAN port
Power	AC-DC Adapter w/ MicroFit+ connector; Input 100-240 VAC 50-60Hz, Output: 12VDC/3A 36W
Battery Backup	Replaceable battery pack 3S3P Li-ion battery: 10.95V, 3A; Capacity 85.4 Wh (7.8 Ah) provides 16 hours of standby time which can be extended to > 24 hours with an optional external battery accessory
Display	320x240 LCD display
Switches	Master On/Off; Factory reset (recessed)
Dimensions	W 30cm x H 6cm x D 20cm when sitting horizontally
Line and Battery Status	Monitoring notifications via SMS and email alerts
Administration	Web-based management portal
Operating Temperature	0 - 40° C
Warranty	1 Year limited warranty

Industry Recognition

Full Stack Marketing
Michael McCormick
608 Hayes Rd
Lutz • Florida 33549
Tel: 813-524-7272
Email: mike@digitalthatdelivers.com
www.digitalthatdelivers.com